

## Safety Data Sheet

Printed : 14/06/2023

Revised : C V1-R-1-CLP from 14/06/2023

### SANDALWOOD - W26120

#### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

##### 1.1. Product identifier

SANDALWOOD - W26120

**UFI : THAA-E27T-T000-WM4R**

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture** : Fragrance compound

##### 1.3. Details of the supplier of the safety data sheet

##### 1.3. Details of the supplier of the safety data sheet

Antwerp Luxury Candle Supplies  
Zwaluwlaan 6  
2960 Brecht  
Belgium  
T+3234304340  
mail@luxurycandlesupplies.eu  
www.luxurycandlesupplies.eu

##### 1.4. Emergency telephone number

Anti poison Center in Belgium  
Antigifcentrum : 070 245 245 - +32(2) 264 96 30

Anti poison Center in France  
ORFILA : +33(1) 45 42 59 59

#### 2. HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

Eye Irrit. 2      Serious eye damage / eye irritation 2  
Aquatic Chronic 2 Hazardous to the aquatic environment, long-term hazard 2

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

Skin. Sens. 1      Sensitisation skin 1

H317 - May cause an allergic skin reaction.


H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Warning

Eye Irrit. 2      Serious eye damage / eye irritation 2

Aquatic Chronic 2 Hazardous to the aquatic environment, long-term hazard 2

Skin. Sens. 1      Sensitisation skin 1

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

## 2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

**Contains Cedryl acetate, Acetyl cedrene, 2-(4-Methylthiazol-5-yl)ethanol**

VOC Swiss - Annex 1 :      **See certificate**

CMR (Reg. 1223/2009/EEC) :      **See certificate**

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

List of reportable components:

### 3.1. Substances

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

Not concerned

## 3.2. Mixtures

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE	Percent %
CAS# 3407-42-9 EINECS# 222-294-1 REACH# N°REACH 01-2119979583-21-xx xx	3-(5.5.6-Trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	Eye Irrit. 2, Aquatic Chronic 2 H319, H411		[ 10-20 ]
CAS# 77-54-3 EINECS# 201-036-1 REACH# /	Cedryl acetate	Aquatic Chronic 2, Skin. Sens. 1B H411, H317		[ 5-10 ]
CAS# 137-00-8 EINECS# 205-272-6 REACH# /	2-(4-Methylthiazol-5-yl)ethanol	Eye Irrit. 2, Skin Irrit. 2, STOT SE 3 H319, H315, H335		[ 1-5 ]
CAS# 28219-60-5 EINECS# 248-907-2 REACH# /	2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1 H319, H400, H410	EHA1 (M=1)EHC1 (M=1)	[ 1-5 ]
CAS# 67801-20-1 EINECS# 267-140-4 REACH# /	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Aquatic Chronic 2 H411		[ 1-5 ]
CAS# 32388-55-9 EINECS# 251-020-3 REACH# N° REACH 01-2119969651-28-xx xx	Acetyl cedrene	Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B H400, H410, H317		[ 1-5 ]
CAS# 77-53-2 EINECS# 201-035-6 REACH# /	Cedrol	Aquatic Chronic 2 H411		[ 0-1 ]
CAS# 28219-61-6 EINECS# 248-908-8 REACH# N° REACH 01-2119529224-45-xx xx	Ethyl trimethylcyclopentene butenol	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1 H319, H400, H410	EHA1 (M=1)EHC1 (M=1)	[ 0-1 ]
CAS# 469-61-4 EINECS# 207-418-4 REACH# /	alpha-Cedrene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1 H304, H400, H410	EHA1 (M=10)EHC1 (M=10) EHA1 - H400 : C >= 1 %EHC1 - H410 : C >= 1 %	[ 0-1 ]
CAS# 546-28-1 EINECS# 208-898-8 REACH# /	beta-cedrene naturel	Aquatic Acute 1, Aquatic Chronic 1 H400, H410	EHA1 (M=10)EHC1 (M=10)	[ 0-1 ]

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

Description : **Fragrance compound**

Composition : **Blend of fragrance substances**

Solvent(s) : **IPM**

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

**General notes:** Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Following skin contact:** If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophthalmologist.

**Self-protection of the first aider:** In lack of appropriate formation, none initiative should imply an individual risk.

## 4.2. Most important symptoms and effects, both acute and delayed

See section 2

## 4.3. Indication of any immediate medical attention and special treatment needed

**Contact with skin:** Wash immediately and abundantly with water and soap. Rinse then with clear water.

**Contact with eyes:** Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum. In case of disorder, consult an ophthalmologist.

**In case of ingestion:** Do not induce vomiting, maintain the patient at rest. If problems persist, consult a doctor.

**Soiled clothing:** Withdraw soiled clothing and re-use them only after decontamination.

## 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire. CO<sub>2</sub>, powder, foam, specific liquid. Do not inhale the fumes.

**Unsuitable extinguishing media:** Never use a direct stream of water.

### 5.2. Special hazards arising from the substance or mixture

**Flammability:** The product is not flammable.

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### **Hazardous combustion products:**

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO<sub>2</sub>), Oxyde d'azotes (NO<sub>x</sub>), Dioxyde de soufre (SO<sub>2</sub>), Cyanures (CN) ....

### 5.3. Advice for firefighters

**Never use a direct water jet.**

#### **Special protective equipment for fire-fighters:**

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with full face mask operating in active pressure mode.

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### **For non-emergency personnel**

Keep them away from the area. Avoid all sources of ignition (spark or flame).

Avoid skin/eye contact. Do not inhale vapours.

#### **For emergency responders**

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.

Inform the competent authorities if the product enters in ground or surface waters.

### 6.3. Methods and material for containment and cleaning up

#### **For containment**

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### **For cleaning up**

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local regulation.

#### **Other informations**

Only qualified personnel is allowed to clean up.

### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### **Protective measures:**

See section 2.2



#### **Measures to prevent fire:**

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### **Measures to prevent aerosol and dust generation:**

Maintain adequate ventilation in the area.

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

## Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

## Advice on general occupational hygiene:

Follow the general hygiene rules.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in its original packaging in a cool dry place, away from light.

**Technical measures:** Close the container after use.  
In case of transferring, reproduce the labelling.

**Packaging materials:** Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage : **Store in ambient room, in tightly sealed original container. Avoid prolonged exposure to light, heat and air.**

## 7.3. Specific end use(s)

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

**Measures of technical order:** Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

**Monitoring procedures:** If the product contains ingredients with exposure limits, it may be necessary to carry out a follow-up examination of people, the workplace atmosphere or living organisms to determine the effectiveness of ventilation or other control measures or to assess the need for respiratory protective equipment. It is important to refer to the European standard EN 689 on methods for assessing inhalation exposure to chemical agents and to national policy documents on methods for determining hazardous substances.

### 8.2. Exposure controls

#### Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures :

#### Personal protection equipment :

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

**Respiratory protection :** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection** : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark** : The waterproofness of the recommended gloves does not only depend on their material. Also other factors can have an influence on the waterproofness, such as their thickness or specific use or temperature conditions. In any case, material certificates should be selected. Ask your supplier whether the gloves are suitable for this purpose.

**Eyes protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.  
Recommended : Splash goggles, safety glasses with side-shields.

**Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance :	<b>Liquid</b>
Odour :	<b>Woody, santal</b>
Color :	<b>Colorless to very pale yellow</b>
Density at 20°C :	<b>[0.875 ; 0.915]</b>
Refractive index @ 20°C :	<b>[1.450 ; 1.460]</b>
Flash point (°C) (close cup) :	<b>&gt;105</b>

### 9.2. Other information

Not concerned

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

Avoid powerful oxidising agents

### 10.2. Chemical stability

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

Stable under normal conditions.

Shelf life : **12 months, according to storage conditions**

## 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

## 10.4. Conditions to avoid

Avoid any potential source of heat.

## 10.5. Incompatible materials

Strong acids - Oxidising agents - Bases

## 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicity data :

**Any information is available on the preparation as such.  
The toxicological information on its constituents allows an  
evaluation of the safety of the preparation.  
For more information, refer to the regulatory information (Pt 2 and 15  
of the FDS, CMR certificate, and others)**

### 11.2. Information on other hazards

The product does not contain substances identified as having endocrine disrupting properties (human health) in concentrations equal to or greater than 0.1% (m/m).

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### 12.2. Persistence and degradability

Not concerned

### 12.3. Bioaccumulative potential

Not concerned



# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

## 12.4. Mobility in soil

Not concerned

## 12.5. Results of PBT and vPvB assessment

Not concerned

## 12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

## 12.7. Other adverse effects

Not concerned

## 13. DISPOSAL CONSIDERATIONS


### 13.1. Waste treatment methods

**Product:** Recommendation: Does not have to be evacuated with the refuse. Do not let penetrate into drains/waste water system.


**Not cleaned packing:** Recommendation: Evacuation in accordance with the regulations.

## 14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:



### 14.1. UN number or ID number

ADR/ADN/RID : 3082 ( Tunnel code (E) )

IMDG:3082

IATA :3082

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

## 14.2. UN proper shipping name

ADR/ADN/RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.(2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol mixture)  
IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.(2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol mixture)  
IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.(2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol mixture)

## 14.3. Transport hazard class(es)

ADR/ADN/RID : 9  
IMDG:9  
IATA :9

## 14.4. Packing group

ADR/ADN/RID : III  
IMDG:III  
IATA :III

## 14.5. Environmental hazards

IMDG :

## 14.6. Special precautions for user

Not concerned

## 14.7. Maritime transport in bulk according to IMO instruments

(Except particular case)

### IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

### GRV Solid substances

Metal (11A, 11B, 21A, 21N)

Plastic (11H1, 11H2, 21H1, 21H2)

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not concerned

### 15.2. Chemical safety assessment

Not concerned

## 16. OTHER INFORMATION

**Full H sentences text in point 3 :**

# Safety Data Sheet

Printed : 14/06/2023

SANDALWOOD - W26120

Revised : C V1-R-1-CLP from 14/06/2023

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Material security data sheet according to 2020/878/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.